



COMPLETE PACKAGING SOLUTIONS & AUTOMATION

SPECIAL FEATURES

- PLC With Variable Frequency Converter For The Reliable Performance To The Convenient Operation And User Friendly
- The Wrapping Type And Time Can Be Chosen On Individual Requirement
- Equipped With Photo Electric Detector Which Automatically Detects The Product Height And Controls The Travel Limit.
- Rotary Table Can Be Reset Automatically Thus Ensure Correct Out Home Position of The Product.
- Convenient Replacement Of LDPE Stretch Film Roll
- Power Pre Stretch Option Reducing Consumable Cost By 70% (300% Stretch Ratio)



**BOX STRETCH
WRAPPING MACHINE VENTURA - 999**



**BAGGAGE WRAPPING
MACHINE VENTURA - 888**



**FULLY AUTOMATIC PALLET STRETCH
WRAPPING MACHINE**




SAFETY MECHANISM



POWER PRE STRETCH MECHANISM



CONTROL PANEL WITH HMI



LOADING RAMP
OPTIONAL




VENTURA - 3000

SPECIAL FEATURES

- Most Dynamic Octagonal Shaped Stanchion For The High Sturdy And Rigid For The Stable Performance While At Maximum Load, Maximum Height And Maximum Stress.
- Worldwide Accepted European Model with Smooth and Noiseless Platform Rotation.
- CE Standard and Certified
- Easily Foldable Stanchion and Transportable By Fork Lift/ Crane
- Ramp Can Be Placed Any Side of the 3 Directions (300°)
- Turntable Always Stops At Home Position.
- The Soft, Start and Stop for All the 3 Geared Motors with Separate VFDs.
- Early Available All Leading OE Components in Their Ranges
- Moulded Plastic Chain Protection Guard For Moving Electrical Cables In The Stanchion.
- All Components Are Completely Concealed For The Safety Of The Operator.
- Easy Threading Of Film in the Pre Stretch unlike Conventional Routing Through Various Rollers.
- Standard Turn Table: 1500mm Dia (Optional - 1650 mm/2000 mm) Stanchion: 3000 mm (Optional 2600 mm / 3200 mm)



VENTURA AUTOMATIC
PALLET STRETCH
WRAPPING MACHINE
(Automatic Film Cut and Seal)



SHRINK TUNNEL & WEB SEALER



AUTOMATIC L SEALER WITH SHRINK TUNEL VOT 5040 B




2 IN 1 SHRINK TUNNEL



L SEALER WITH SHRINK TUNNEL VOT 350 B+ VOT LS6045

SPECIAL FEATURES

- Variant Model For PVC/POF/LDPE
- Solid State Regulators for Temperature Control and Sensors
- SS Fin Heaters
- High Speed Blowers to Ensure Proper Shrinking
- Auto Cut off after Temperature Using Sensors
- Teflon Coated Roller Conveyor to Avoid Foot Prints on Product
- VFD for Adjust the Machine Conveyor Speed
- Optional: Wire Mesh Conveyor/Teflon Belt Conveyor/High Velocity Turbo Tunnel With Blower/Side Cover For Operator Safety/ Cooling Chambers



FULLY AUTOMATIC SEALER WITH SHRINK TUNNEL

PP STRAPPING MACHINES



**SEMI AUTOMATIC
STRAPPING MACHINE
VENTURA - 900**



**LOW BED MODEL
VENTURA - 900 L**



**AUTOMATIC STRAPPING
MACHINE
VENTURA - 1300**

SPECIAL FEATURES

- PP Strap Tensioning Up To 60kg
- Power Surge Production
- ETD/MTD Technology For Accurate And Consistence Strapping
- Rust Proof Easy To Flow Aluminum Casting Components
- Push Button/Feather Touch Operation To Easy Operation
- Modular Control System
- Technical Variant For Different Application
- SS Ball Table Top/ Low Bed / Custom Made Application



**COMBINED CARTON TAPPING
AND STRAPPING MACHINE**



**FULLY AUTOMATIC CARTON TAPPING AND
STRAPPING MACHINE**

SPECIAL FEATURES

- Compact And CE Certified Design
- PLC Based Operation
- Die Cast Heater Blade For Endurance
- Tension Range Up To 80kg
- Versatile Modules Suit To Different Application


PP & PET STRAPPING MACHINES



**VENTURA AUTOMATIC
HORIZONTAL PALLET
STRAPPING MACHINE**



**VENTURA AUTOMATIC
PALLET STRAPPING MACHINE
(TOP HEAD MODEL)**



**VENTURA AUTOMATIC
VERTICAL PALLET
STRAPPING MACHINE**

UNIFORM CARTON SEALING MACHINE



VENTURA - 7100




VENTURA - 7400



VENTURA - 7600



RANDOM CARTON SEALING MACHINE



**CARTON SEALING MACHINE
WITH FLAP CLOSER**

SPECIAL FEATURES

- Compact And Rigid Design
- Interchangeable Top And Bottom Cartridge
- Easy Adjustable Tape Tension
- 2"/3" Top And Bottom Tape Head
- In Feed And Out Feed Free Flow Roller Working Table
- Adjustable Leg Height
- Easy Tape Routing
- PU Rollers And Heavy Duty Geared Motors
- Electrical Panel With Relay Contactor With Safety Features
- Counter And Auto Stop Available At Optional
- User Friendly And Maintenance Free

Technical Details


Parameter	Specification
Machine Length	7 Meter
Loading Capacity	Maximum 100kg/Unit
Speed	30 Meter / Minute
Direction	Forward & Reverse
Belt Width	600 mm (Optional)
Lifting Height	900 mm - 3 Meter



TRUCK LOADING AND UNLOADING
WITH FLEXIBLE ROLLER CONVEYOR



TELESCOPIC CONVEYOR



METAL SKATE FLEXIBLE CONVEYOR

Technical Details


Parameter	Specification
Machine Length	7 Meter
Loading Capacity	Maximum 100kg/Unit
Speed	30 Meter / Minute
Direction	Forward & Reverse
Belt Width	600 mm (Optional)
Lifting Height	900 mm - 3 Meter



NYLON SKATE
FLEXIBLE CONVEYOR


SPECIAL FEATURES

- Square tube legs
- Metal / PVC skate wheels for long duration
- Package stop to prevent packages falling off the conveyor and folds down out of the way when not needed
- Leg connect brackets to connect couplers easily connect additional conveyors.



FLEXIBLE FREE ROLLER
CONVEYOR

*Technical specifications are subject to vary



LLDPE STRETCH FILMS



PP STRAP ROLLS



BOPP TAPE



SHRINK FILM



AN ISO 9001:2015 COMPANY



VENTURA OMNITECH PVT LTD

Mfrs. of Automatic Carton Strapping, Carton Sealing, Shrink Wrapping, Stretch Wrapping Machines, Skin Packing Machines, Websealer & Shrink Tunnel, Conveyors and Packing Consumables

GSTIN : 33AAACV9812E1ZI | CIN No. : U74999TG1994PTC018328

SF. No. 129/A1A2, Pappampatti Main Road, Peedampalli (PO), Coimbatore - 641 016, Tamilnadu.

Regd office : Hyderabad.

☎ 98943 17106 📞 99949 66418

✉ sales@venturaomnitech.com 🌐 www.venturaomnitech.com

For Videos & Catalogues, Please Visit : www.venturaomnitech.com

**Technical Specifications Available with the individual product catalogue